

cutting compatability

Artikelnummer	Artikel	Material	Gewicht	kern durchmesser mm	Breite ca. cm	rotating kife Robart	hot cut 5 days leadtime	cutting tolerance
4418 / 77	Universal Tentex FR + wos	100% PES	ca. 200	76	162		\$	± ca. 1 cm
				76	205		\$	± ca. 1 cm
				76	252		\$	± ca. 1 cm
				76	310		\$	± ca. 1 cm
				76	505		\$	± ca. 1 cm
				152	505	\$		± ca. 5 cm
4499 / 77	Universal Lightex FR + wos	100% PES	ca. 290	76	162		\$	± ca. 1 cm
				76	205		\$	± ca. 1 cm
				76	252		\$	± ca. 1 cm
				76	310		\$	± ca. 1 cm
				76	505		\$	± ca. 1 cm
				152	505	\$		± ca. 5 cm
4280 / 77	Universal Display 250 heavyFR+w	100% PES	ca. 250	76	162		\$	± ca. 1 cm
				76	252		\$	± ca. 1 cm
				76	310		\$	± ca. 1 cm
				76	505		\$	± ca. 1 cm
				152	505	\$		± ca. 5 cm
3743 / 73	Solvo flag TCS 110 + wos	100 % TCS	ca. 110	76	205		\$	± ca. 1 cm
				76	252		\$	± ca. 1 cm
				76	310		\$	± ca. 1 cm
				76	505		\$	± ca. 1 cm
				152	505	\$		± ca. 5 cm
4231 / 77	Universal art canvas 330 FR + wos	100 % PES	ca. 390	76	162	\$		± ca. 1 cm
				76	252	\$		± ca. 1 cm
				76	310	\$		± ca. 1 cm
				76	505	\$		± ca. 1 cm
				152	505	\$		± ca. 5 cm
3745 / 73	Solvo flag 100 FR + wos	100 % PES	ca. 95	76	162		\$	± ca. 1 cm
				76	252		\$	± ca. 1 cm
				76	310		\$	± ca. 1 cm
				76	505		\$	± ca. 1 cm
				152	505	\$		± ca. 5 cm
4406 / 71	Architex decor TCS FR	100 % TCS	ca. 225	76	310		\$	± ca. 1 cm
				76	420		\$	± ca. 1 cm
				76	505		\$	± ca. 1 cm
3678 / 73	Universal TCS 200 FR + wos	100 % TCS	ca. 200	76	162	\$		± ca. 5 cm
				76	252	\$		± ca. 5 cm
				76	310	\$		± ca. 5 cm
				152	505	\$	\$	± ca. 5 cm
3680 / 73	Universal TCS 300 FR + wos	100 % TCS	ca.300	76	162	\$		± ca. 5 cm

cutting compatability

				76	252	\$		± ca. 5 cm
				76	310	\$		± ca. 5 cm
				76	505	\$		± ca. 5 cm
				152	505	\$		± ca. 5 cm
3799 / 73	Universal stage FR+ wos	PES	ca. 300	76	310	\$		± ca. 5 cm
				152	505	\$		± ca. 5 cm
4437 / 73	Universal satintex FR + wos	100 % PES	ca. 160	76	310	\$		± ca. 5 cm
				152	505	\$		± ca. 5 cm
3779 / 73	Universal TCS Voile FR + wos	100% TCS	ca 45	76	310	\$		± ca. 5 cm
				152	505	\$	\$	± ca. 5 cm
4022 / 6	Berger flame glass	98%fibregl.	ca. 270	76	300			± ca. 1 cm
-- 0 - 140 g/m² topsellers								
4290 / 66	lightbox FR + s	100 % PES	ca. 130	76	155		\$	± ca. 1 cm
				76	310		\$	± ca. 1 cm
4166eco / 3	eco satin 140	100 % PES	ca. 140	76	155		\$	± ca. 1 cm
				76	181		\$	± ca. 1 cm
				76	252		\$	± ca. 1 cm
				76	310		\$	± ca. 1 cm
4166eco / 6	eco satin 140 FR	100% PES	ca. 140	76	155		\$	± ca. 1 cm
				76	181		\$	± ca. 1 cm
				76	252		\$	± ca. 1 cm
				76	310		\$	± ca. 1 cm
4166eco / 26	eco satin 140 FR + w	100 % PES	ca. 140	76	155		\$	± ca. 1 cm
				76	181		\$	± ca. 1 cm
				76	252		\$	± ca. 1 cm
				76	310		\$	± ca. 1 cm
3779 / 26	PES weave voile 62 FR + w	100 % PES	ca. 62	76	155	\$		± ca. 5 cm
				76	181	\$		± ca. 5 cm
				76	310	\$		± ca. 5 cm
4384 / 60	samba tent + s	100 % PES	ca. 120	76	137		\$	± ca. 1 cm
				76	150		\$	± ca. 1 cm
4384 / 66	samba tent FR + s	100 % PES	ca. 120	76	137		\$	± ca. 1 cm
					150		\$	± ca. 1 cm
3726 / 73	Sprinkler FR + s	100 % Cotto	ca.140	76	310	\$	\$	± ca. 1 cm
				152	505	\$	\$	± ca. 5 cm
4002 / 6	silk satin 110 FR + w	100 % PES	ca. 110	76	150	\$		± ca. 5 cm
				76	181			± ca. 1 cm
				76	252			± ca. 1 cm

cutting compatability

				76	310			± ca. 1 cm
3745 / 6	eco flag 117 FR	100 % PES	ca. 117	76	155		§	± ca. 1 cm
				76	181		§	± ca. 1 cm
				76	252		§	± ca. 1 cm
				76	310		§	± ca. 1 cm
3745 / 26	eco flag 117 Fr+ w	100 % PES	ca. 117	76	155		§	± ca. 1 cm
				76	181		§	± ca. 1 cm
				76	252		§	± ca. 1 cm
				76	310		§	± ca. 1 cm
				152	505	§		± ca. 5 cm
3745 / 53	eco flag screen	100% PES	ca. 117	76	155			± ca. 1 cm
3702 / 3	Airtricot	100 % PES	ca. 130	76	157		§	± ca. 1 cm
3702 / 26	Airtricot FR + w	100 % PES	ca. 130	76	157		§	± ca. 1 cm
3744 / 6	premium flag 112 FR	100 % PES	ca. 112	76	153		§	± ca. 1 cm
				76	253		§	± ca. 1 cm
				76	310		§	± ca. 1 cm
3744 / 73	premium flag 112 FR + w	100 % PES	ca. 112	76	155		§	± ca. 1 cm
				76	310		§	± ca. 1 cm
-- 0 - 140 g/m² Spezialitäten								
4245 / 3	Sporttrikot	100 % PES	ca. 140	76	170	§		± ca. 1 cm
-- 141 - 250 g/m² topseller								
4001 / 6	PES tafetta 55 FR + w	100 % PES	ca. 55	76	155	§		± ca. 5 cm
3684 / 73	TCS gauze FR + wos	100 % TCS	ca. 80	76	310	§		± ca. 5 cm
				152	505	§		± ca. 5 cm
3708 / 2	TCS projection tafetta 75 FR	Trevira CS	ca. 75	76	310	§		± ca. 5 cm
				152	505	§		± ca. 5 cm
3915 / 2	PES Spinnaker 70 FR + w	100% PES	ca. 70	76	160		§	± ca. 1 cm
				76	285		§	± ca. 1 cm
4159 / 6	PES knitt voile 50 FR	100 % PES	ca. 62	76	155		§	± ca. 1 cm
				76	310		§	± ca. 1 cm
4075 / 3	X Kite	100 % PES	ca. 215	76	153		§	± ca. 5 cm
4280eco / 3	eco Display 210	100% PES	ca. 210	76	150		§	± ca. 1 cm
				76	252		§	± ca. 1 cm
4280eco / 6	eco Display 210 FR	100 % PES	ca. 210	76	155		§	± ca. 1 cm
				76	181		§	± ca. 1 cm
				76	252		§	± ca. 1 cm

cutting compatability

				76	310		§	± ca. 1 cm
4280eco / 26	eco Display 210 FR + w	100 % PES	ca. 210	76	151		§	± ca. 1 cm
				76	181		§	± ca. 1 cm
				76	252		§	± ca. 1 cm
				76	310		§	± ca. 1 cm
4280ecoH / 2	eco Display 250 heavy FR + w	100% PES	ca. 250	76	155		§	± ca. 1 cm
				76	181		§	± ca. 1 cm
				76	252		§	± ca. 1 cm
				76	310		§	± ca. 1 cm
4280 / 3 ecoe	eco Display soft 210	100 % PES	ca. 210	76	150		§	± ca. 1 cm
4280 / 26 ecd	eco Display soft 210 FR + w	100 % PES	ca. 210	76	150		§	± ca. 1 cm
4280 / 6	PES Display 210 FR	100 % PES	ca. 210	76	155		§	± ca. 1 cm
				76	253		§	± ca. 1 cm
				76	310		§	± ca. 1 cm
				152	505	§		± ca. 5 cm
4280 / 73	PES Display 210 FR + wo	100 % PES	ca. 210	76	153		§	± ca. 1 cm
				76	183		§	± ca. 1 cm
				76	253		§	± ca. 1 cm
				76	310		§	± ca. 1 cm
-- 141 - 250 g/m² Spezialitäten								
4700 / 3	Pop up velours	100 % PES	ca. 200	76	245		§	± ca. 3 cm
4700 / 73	Pop up velours FR + w	100 % PES	ca. 200	76	240		§	± ca. 3 cm
4181 / 73	PES stretchi FR + wo	100 % PES	ca. 200	76	153		§	± ca. 1 cm
				76	310		§	± ca. 1 cm
4246 / 3	Icehockey trikot	100 % PES	ca. 220	76	170	§		± ca. 5 cm
4424 / 3	Polysilk	100 % PES	ca. 230	76	155		§	± ca. 1 cm
4445 / 6	cotton canvas 200 FR	100 % Cot	ca. 200	76	310	§	§	± ca. 5 cm
				152	505	§	§	± ca. 5 cm
4445 / 66	cotton canvas 200 Fr + S	100 %cot	ca. 200	76	252		§	± ca. 1 cm
				76	310		§	± ca. 1 cm
				152	505	§		± ca. 5 cm
3678 / 6	TCS canvas 200 FR	100 % T CS	ca. 200	76	155	§		± ca. 5 cm
				76	310	§		± ca. 5 cm
				152	505	§		± ca. 5 cm
4418 / 26	Tentex FR+w	100 % PES	ca. 180	76	310	§		± ca. 1 cm
				152	505	§		± ca. 1 cm

cutting compatability

-- 250 - 400 g/m ² topseller								
4499 / 6	Lighttex FR + w	100 % PES	ca. 280	76	155		\$	± ca. 1 cm
				76	180		\$	± ca. 1 cm
				76	252		\$	± ca. 1 cm
				76	310		\$	± ca. 1 cm
4231 / 6	art canvas 330 FR + w	100 % PES	ca. 330	76	155	\$		± ca. 5 cm
				76	252	\$		± ca. 5 cm
				76	310	\$		± ca. 5 cm
				152	505	\$		± ca. 5 cm
4499-/6-180	Back-Lightex Fr + w	100 % PES	ca. 280	76	155	\$		± ca. 1 cm
				76	180	\$		± ca. 1 cm
				76	252	\$		± ca. 1 cm
				76	310	\$		± ca. 1 cm
				76	350	\$		± ca. 1 cm
				152	505	\$		± ca. 5 cm
4233 / 6	Micro-Backlight 270 FR + w	100 % PES	ca. 250	76	147	\$		± ca. 5 cm
				76	255	\$		± ca. 5 cm
				76	294	\$		± ca. 5 cm
				76	300*	\$		± ca. 5 cm
4231 / 3	art canvas 330	100 % PES	ca. 330	76	155	\$		± ca. 5 cm
				76	310	\$		± ca. 5 cm
3894 / 65	blackout night FR	Trevira CS /	ca. 270	76	150		\$	± ca. 1 cm
				76	255 #		\$	± ca. 1 cm
				76	300		\$	± ca. 1 cm
								# geschnitten / cutted from 300 cm
3893 / 2665	blackout directo FR + w	100% PES	ca. 270	76	140		\$	± ca. 1 cm
				76	280		\$	± ca. 1 cm
4102 / 3	creasefree heavy satin	100 % PES	ca. 280	76	155	\$		± ca. 5 cm
				76	240	\$		± ca. 5 cm
4102 / 6	creasefree heavy satin FR	100 % PES	ca. 280	76	155	\$		± ca. 5 cm
				76	185	\$		± ca. 5 cm
				76	255	\$		± ca. 5 cm
				76	310	\$		± ca. 5 cm
4102 / 26	creasefree heavy satin FR + w	100 % PES	ca. 280	76	155	\$		± ca. 5 cm
				76	181	\$		± ca. 5 cm
				76	255	\$		± ca. 5 cm
				76	310	\$		± ca. 5 cm
3680 / 6	TCS canvas 300 FR	100 % TCS	ca. 300	76	155	\$		± ca. 5 cm
				76	310	\$		± ca. 5 cm
				152	505	\$		± ca. 5 cm

cutting compatability

3674 / 66	cotton canvas 300 FR + S	100 % Cotton	ca. 300	76	310		§	± ca. 1 cm
				76	505		§	± ca. 5 cm
				152	505		§	± ca. 5 cm

-- 250 - 400 g/m ² Canvas/ Leinwand								
4235 / 60	fineart canvas Rubens	cot / PES	ca. 300	76	137		§	± ca. 1 cm
				76	155		§	± ca. 1 cm
				76	137		§	± ca. 1 cm
				76	155		§	± ca. 1 cm

4444 / 56	finerart canvas wat.Rembrandt plus	100 % Cot	ca. 360	50	107		§	± ca. 1 cm
				50	111		§	± ca. 1 cm
				50	137		§	± ca. 1 cm
				50	152		§	± ca. 1 cm
				50	61		§	± ca. 1 cm
				50	91,4		§	± ca. 1 cm

3750 / 68	fineart canvas VanGogh	PES/VIS/BW	ca. 370	76	160		§	± ca. 1 cm
				76	210		§	± ca. 1 cm

3748 / 60	fineart canvas Dali	100 % Cot	ca. 420	76	155		§	± ca. 1 cm
-----------	---------------------	-----------	---------	----	-----	--	---	------------

-- 250 - 400 g/m ² Spezialitäten								
4230 / 6	blackout twill 270 FR	100 % PES	ca. 270	76	150	§		± ca. 5 cm
				76	300*	§		± ca. 5 cm

4230 / 26	blackout twill 270 FR + w	100% PES	ca. 270	76	147	§		± ca. 5 cm
				76	255	§		± ca. 5 cm
				76	294	§		± ca. 5 cm
				76	300*	§		± ca. 5 cm

3895 / 65	blackout cloth 335 FR	25% cot/75 % PES	ca. 335	76	140		§	± ca. 1 cm
				76	280		§	± ca. 1 cm

HOME & FASHION								
4587 / 3	Mikrobedlinen	100% PES	ca. 102	76	150	§		± ca. 5 cm

4725 / 3	Microvelvet	100 % PES	ca. 160	76	135	§		± ca. 1 cm
----------	-------------	-----------	---------	----	-----	---	--	------------

4199 / 3	creasefree canvas 200	100 % PES	ca. 180	76	150	§		± ca. 5 cm
----------	-----------------------	-----------	---------	----	-----	---	--	------------

4199 / 26	creasefree canvas 200 FR + w	100% PES	ca. 200	76	150	§		± ca. 5 cm
-----------	------------------------------	----------	---------	----	-----	---	--	------------

4399 / 3	creasefree canvas 250	100 % PES	ca. 250	76	150	§		± ca. 5 cm
----------	-----------------------	-----------	---------	----	-----	---	--	------------

4399 / 26	creasefree canvas 250 FR + w	100 % PES	ca. 250	76	150	§		± ca. 5 cm
-----------	------------------------------	-----------	---------	----	-----	---	--	------------

4002 / 3	silk satin 110	100 % PES	ca. 110	76	150	§		± ca. 5 cm
----------	----------------	-----------	---------	----	-----	---	--	------------

3620/4047/ 6	shiny satin 110 FR + w	100 % PES	ca. 110	76	148 #	§		± ca. 5 cm
--------------	------------------------	-----------	---------	----	-------	---	--	------------

cutting compatability

				76	300	\$		± ca. 5 cm
Produktbereinigung Januar 2009								
4280-02B2	Display Sandwich blackout FR +W	100 % PES	ca. 480	76	143		\$	± ca. 1 cm
				76	230		\$	± ca. 1 cm
4440 / 56	fineart canvas waterb. Rembrandt	100 % Cot	ca. 320	50	61		\$	± ca. 1 cm
				50	91,4		\$	± ca. 1 cm
				50	107		\$	± ca. 1 cm
				50	111		\$	± ca. 1 cm
				50	127		\$	± ca. 1 cm
				50	137		\$	± ca. 1 cm
				50	152		\$	± ca. 1 cm
4102/73	creasefree heavy satin FR + wo	100% Polyest	ca. 280	76	155	\$		± ca. 5 cm
				76	181	\$		± ca. 5 cm
4298/26	Frametex FR	100 %PES	250	76	310	\$		± ca. 5 cm
4440 / 60	fineart canvas UV Rembrandt	100% Cot	ca. 320	76	160		\$	± ca. 1 cm
				76	210		\$	± ca. 1 cm
3743 / 6	TCS flag 110 FR	100 % TCS	ca. 110	76	153		\$	± ca. 1 cm
				76	203		\$	± ca. 1 cm
				76	310		\$	± ca. 1 cm
				152	505	\$	\$	± ca. 5 cm

comments

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

